



**GOVERNMENT OF KARNATAKA  
KARNATAKA STATE DRUG LOGISTICS & WAREHOUSING SOCIETY®**

No.1, Dr. Siddaiah Puranik Road, KHB Colony, Magadi Road, Bangalore – 560079

Phone: +91-80-23486221 Fax: +91-80-23281477

Email: [helpdesk.kdlws@gmail.com](mailto:helpdesk.kdlws@gmail.com), [ad.kdlws@gmail.com](mailto:ad.kdlws@gmail.com)

No. KDL/AD/Corona/NHT/Quotation/09/(3)/2020-21

Date: 05-06-2020

**INVITATION FOR QUOTATIONS (IFQ) FOR SUPPLY OF .....**

To,

M/s .....

.....

.....

.....

**Sub:** Invitation of quotation for supply PPE kit .

**Ref:** Quotation Notification No. KDL/AD/Corona/NHT/  
Quotation/09/2020-21 Dated: 02.06.2020.

- 1) Sealed competitive quotations are invited by the undersigned for PPE kit that contains the following 10 items (Unit 1X1 Pack)

**A. Coverall**

- Impermeable to blood and body fluids.
- Single use.
- Avoid culturally unacceptable colors e.g. black.
- Light colors are preferable to better detect possible contamination.
- Thumb/finger loops to anchors sleeves in place.
- Quality compliant with following standard.

Meets or exceeds ISO 16603 class 3 exposure pressure, or equivalent.

**B. Shoe Cover**

- Made up of the same fabric as of coverall.
- Should cover the entire shoe and reach above ankle.

**C. Triple Layer Medical Mask (Surgical Mask)**

- Three layered medical mask of non-woven material with nose piece, having filter efficiency of 99% for 3 micron particle size.
  - a. ISI specifications or equivalent.

**D. N-95 Masks**

- Shape that will not collapse easily
- High filtration efficiency
- Good breathability, with expiration valve
- Quality compliant with standards for medical N95 respirator:
  - a) NIOSH N95, EN 149FFP2, or equivalent
- Fluid resistance minimum 80 mmHg pressure based on ASTM F1862, ISO22609, or equivalent

## Invitation of Quotation for \_\_\_\_\_

- Quality complaint with standard for particulate respirator that can be worn with full face shield.

### **E. Nitrile Hand Gloves**

- Nitrile
  - Non-sterile
  - Powder free
  - Outer gloves preferably reach mid-forearm(minimum 280 mm total length)
  - Different sizes (6.5 & 7)
  - Quality compliant with the below standard, or equivalent:
    1. EU standard directive 93/42/EEC Class I, EN 455
    2. EU standard directive 89/686/EEC category III,EN 374
    3. ANSI/SEA 105-2011
    4. ASTM D6319-10

### **F. Goggles**

- With transparent glasses, zero power, well fitting, covered from all sides with elastic band/or adjustable holder.
- Good seal with the skin of all face
- Flexible frame to easily fit all face contours without too much pressure.
- Covers the eyes and the surrounding areas accommodates for prescription glasses.
- Fog and scratch resistant
- Adjustable band to secure firmly so as not to become loose during clinical activity.
- Indirect venting to reduce fogging.
- May be re-usable (provided appropriate arrangements for decontamination are in place) or disposable.
- Quality compliant with the below standards or equivalent:
  - a) EU standard directive 86/686/EEC, Classes I, 166/2002.
  - b) ANSI/SEA Z87.1-2010

### **G. Face Shield**

- Made of clear plastic and provides good visibility to both the wearer and the patient
- Adjustable band to attach firmly around the head and fit snugly against the forehead
- Fog resistant (Preferable)
- Completely covers the sides and length of the face
- May be re-usable (made of material which can be cleaned and disinfected) or disposable
- Quality compliant with the below standards,or equivalent.
  - a. EU standard directive 86/686/EEC, EN 166/2002
  - b. ANSI/SEA Z87 1-2010

### **H. Hood Drape/ Head Cover**

- That Covers Head & Neck While providing Clinical care for Patients. Hair& hair Extension Should fit inside the head cover.

### **I. Apron in Laminated fabric.**

### **J. Disposable Bag.**

All items to be supplied must be accompanied with certificate of analysis from national/international organizations/labs indicating conformity to standards.

All items: Expiry 5 years

## Invitation of Quotation for \_\_\_\_\_

### 2) Quoted Price:

- a) The quotation shall be submitted in the name of Additional Director KSDLWS, No.1, Dr. Siddaiah Puranik Road, KHB Colony, Magadi Road, Bengaluru – 560079.
- b) All duties, taxes and other levies payable by the tenderer (including GST) shall be included in the item rate.
- c) The rates quoted for each item shall be fixed for the duration of the contract and shall not be subject to any adjustment.
- d) Corrections if any shall be made by crossing out, initialing, dating and rewriting.
- e) Cable or Facsimile quotations are not acceptable.
- f) The rates quoted shall be inclusive of supply of the items at various warehouses across Karnataka.

3) Each tenderer must submit only one quotation.

### 4) Validity of quotations:

- a) The quoted rates shall remain valid for a period not less than 30 days after the deadline fixed for submission of quotations.

### 5) Evaluation of quotations:

The Purchaser will evaluate and compare the quotations determined to be substantially responsive i.e., which are properly signed, and conform to the terms and conditions and specifications in the following manner:

- a) The evaluation will be done including all taxes. If the tenderer has not included the taxes in his quotation for the item rate, and has also not indicated the rate of taxes applicable, the quoted rate will be treated as though it is inclusive of taxes and no extra payment for taxes will be made;
- b) The Drug/Miscellaneous/Item for which no rates have been quoted would be treated as Zero and considered as not bidding for that product.

### 6) Contract:

- a) Payment shall be made after the quality assurance report from the in-house/empanelled labs after the delivery of the goods and their acceptance.
- b) Notwithstanding the above, the Purchaser reserves the right to accept or reject any quotations and to cancel the quotation process and reject all quotations at any time prior to issuing of supply order.

### 7) Supply period

The supply shall be completed within 15 Days from the date of issue of supply order. Otherwise the supply order remains cancelled.

- a) If the supplier fails to supply within the stipulated period the legal action will be initiated as per KTPP Act.



Invitation of Quotation for \_\_\_\_\_


8) **Terms and Condition**

- A) Contract to be signed.
- B) Manufacturing / import license By Concerned Authorities Should be Submitted.
- C) Dealer Should Submit Authorization letter from Manufacturer/ Importer.
- D) BIS/ISI/ISO/WHO/CE/FDA Certificates wherever applicable.
- E) GST Registration of the Firm.
- F) Broachers, Certificates and Manuals.
- G) Delay supply = Order will be cancelled.
- H) 5% of the Bank Guarantee should be submitted for Security Deposit.
- I) The supply shall be mandatorily accompanied by in-house analytical certificate.
- J) Drugs/Miscellaneous Supplied should be compulsorily entered in the supplier module of Aushada software (User name and password will be given by KSDLWS) the same entries will be considered for quality monitoring and billing.
- K) Two sample of PPE Kit should be submitted for evaluation by Technical Committee along with requisite Certificate.
- L) Financial bid of only those firms whose PPE kit has been approved by the Technical Committee will be opened.
- M) Shelf life of the product shall not be less than 80% of the total stipulated Shelf life at the time of delivery.

9) **Last date and time of receipt of quotations:**

You are requested to submit the sealed quotations superscribed on the envelope as “**Quotations for the supply of PPE kit due on 10/06/2020**” latest by 17:00 hours on 10/06/2020.

**Note:** Quotations for each item should be submitted in separate covers clearly mentioning the name of the item on the sealed cover.

  
Commissioner  
Food Safety and Standards Authority  
and Additional Director,  
KSDLWS Bengaluru.