

GOVERNMENT OF KARNATAKA KARNATAKA STATE MEDICAL SUPPLIES CORPORATION LIMITED®

Sheshadri road, Opp S.J.P College, K.R Circle, Bengaluru. Phone: +91-80-23486221 Fax: +91-80-23281477,

Email: helpdesk.kdlws@gmail.com, ad.kdlws@gmail.com

No. HFW/KSMSCL/COVID-19/Re-TND RT PCR Kit/40/2021-22 Dated: 16/06/2021

INVITATION FOR OUOTATIONS (IFO) FOR SUPPLY OF REAL TIME PCR

Го,							
N	1/s						
	••••						
	(Covi Sealed co	tion of Quotation for Red-19) (RT PCR Kit).	e invited in t	wo cover sy:	stem (al an
	Tillaliciai	Separately) by the under	signed for the	following ite	ms.		
SI No	. Nam	e of the Description	No. of qty	Rates per (Inclusive taxes)	Unit	Stock Hand	on
Sl	Nam Real	<u> </u>	No. of	Rates per (Inclusive	Unit		on
1.	Nam Real	Time PCR Kits for S COV-2 (Covid-19)	No. of qty	Rates per (Inclusive	Unit		on
1.	Real SAR	Time PCR Kits for S COV-2 (Covid-19)	No. of qty	Rates per (Inclusive	Unit		0
1.	Real SAR	e of the Description Time PCR Kits for S COV-2 (Covid-19) edule	No. of qty	Rates per (Inclusive taxes)	Unit		Ol

Ouoted Price:

- a) The quotation shall be submitted in the name of Managing Director KSMSCL, Sheshadri Road, Opp S.J.P College, K.R Circle, Bengaluru.
- b) All duties, taxes and other levies payable by the tenderer (including GST) shall be included in the item rate.
- Rates for supply of partial quantity of an item is not acceptable.
- The rates quoted shall be inclusive of supply and transportation of the items to Various Health Institutions across Karnataka.
- e) Corrections if any shall be made by crossing out, initialing, dating and rewriting.
- Cable or Facsimile quotations are not acceptable.

3) Each tenderer must submit only one quotation.

4) Validity of quotations:

a) The quoted rates shall remain valid for a period not less than 30 days from the issue of Notification of Award.

5) Evaluation of quotations:

The Purchaser will evaluate and compare the quotations determined to be substantially responsive i.e., which are properly signed, and confirm to the terms and conditions and specifications in the following manner:

- a) Technical evaluation will be done by a technical committee and financial bids of only those firms/bidders who qualify will be opened.
- b) The evaluation will be done including all taxes. If the tenderer has not included the taxes in his quotation for the item rate, and has also not indicated the rate of taxes applicable, the quoted rate will treated as though it is inclusive of taxes and no extra payment for taxes will be made;

6) Contract:

- a) Payment shall be made after the delivery of the goods and their acceptance.
- b) Notwithstanding the above, the Purchaser reserves the right to accept or reject any quotations and to cancel the quotation process and reject all quotations at any time of prior to issuing supply order.
- c) Bid inviting authority reserves the right to award a part of the bid quantity to L2, L3 if they match L1 price to ensure early supplies or in case L1 fails to supply the goods as per the delivery schedule mandated in this IFQ.

7) Supply Period:

- a) The supply shall commence within 2 days of issue of Purchase order and be completed within 7 days. Else the purchase order remains cancelled.
- b) The bidder should specify the delivery schedule for the entire Quantity.
- 8) If the supplier fails to supply within the stipulated period her/his order stands cancelled and their SD will be forfeited.

9) Terms and Conditions:

- a) Contract to be signed on a Stamp Paper with a minimum value of Rs. 200/-.
- b) Submit copies of latest/Previous Purchase Order/Supply Order received from any State/Union Tertiary/Corporation/Government or Private Institutions supplied for the same Real Time PCR Kits for SARS COV-2 (Covid-19).
- c) Manufacturing/import license By Concerned Authorities Should be Submitted.
- d) Dealer should submit Authorization letter from Manufacturer/ Importer.
- e) GST Registration of the Firm.
- f) GST Returns, Latest GST Certificates.
- g) Brochures, Certificates and Manuals should be submitted.

- h) Proof of Performance shall be submitted in the form of Supply Order/Purchase Order & Invoice Copies.
- i) 3% of the order value should be submitted as Security Deposit in the form of Demand Draft.
- j) Bidder should specify the quantity available at their disposal.
- k) Quotation processing fee 1000+18% GST should be submitted by Demand Draft (not refundable) drawn in favor of the Additional Director, Karnataka State Drugs Logistics & Warehousing Society (Regd.) payable at Bengaluru or A/c No-1672104000074740, Bank Name-IDBI Bank, Branch Name-Vijayanagar Branch)
- 1) The supply shall be mandatorily accompanied by in-house analytical certificate.
- m) All packing must be tamper proof and should withstand rough handling and weather conditions.
- n) The bidder should submit the two sets of sample 100 each for validation along with the online quotation on or before 22.06.2021 at 01:00 PM.
- o) During the supply if products found damaged or any leakage or upto standards then the products must be replaced by the successful bidders.

10) FALL CLAUSES:

- a) The price quoted shall not in any case exceed the maximum wholesale ceiling price (bulk), if any, fixed by the Govt. of India /NPPA/State Government or the Whole Sale price fixed by the bidder for General Market. The Bidder shall mention such fixed rates in the quotation sheet against each item quoted.
- b) The rate quoted for the Real Time PCR Kits for SARS COV-2 (Covid-19) under this Contract, in no event shall be more than the lowest price quoted at which the contractor sells his products of identical description to any other persons, State, Union territory, Corporation, Board, University, Trust, Local authority, Company or any others including his own dealer, distributor, stockiest, agent during the period of the currency of contract.
- c) If at any time during the period of contract, the contractor reduces the sale price of such products to any other persons, State, Union territory, Corporation, Board, University, Trust, Local authority, Company or any others including his own dealer, distributor, stockist, agent during the period of the currency of rate contract at a price lower than the price quoted in this contract, he shall forthwith notify such reduction or sale to the Managing Director Karnataka State Medical Supplies Corporation Limited (Regd.), Bangalore. The price payable under this contract shall correspondingly be reduced to the same extent as was sold to such others. Under no circumstances the rate quoted shall be higher than the price notified under Drug Price Control Order issued from time to time.
- d) Failure to notify the Purchaser to pass on such benefits due to decrease in existing tax structure (Wherever applicable) Exemption accorded shall

- entail disqualification of the Contractor and forfeiture of the Security Deposit due if any and the firm will be Blacklisted.
- e) The order stands cancelled after the expiration of delivery period, and if the extension is not granted with or without liquidated damages. Apart from risk/alternate purchase action, the Bidder shall also suffer forfeiture of the Security Deposit and shall invite other penal action like blacklisting/Debarring disqualification from participating in present and future Bids of Bid Inviting Authority/ordering authority.
- f) It shall be the responsibility of the supplier for any shortage/damage discoloration of Real Time PCR Kits for SARS COV-2 (Covid-19) at the time of receipt at the designated places.
- g) The Supplier has to replace the entire defective lot (batch) supplied by him found to be not satisfactory certified by BMCRI/NIV labs or by the end user.
- h) If the kits are found defective and the kits result are found to be inconclusive by end user the entire defective lot should be replaced before the payment.

11) TECHNICAL SPECIFICATION:

Specification	Title	Reference Value
GENERAL FEATURES	Product Description	Real Time PCR (Polymerase Chain Reaction) Combo Kit for Novel Coronavirus (SARS-CoV- 2/COVID-19)
	Purpose	For diagnosis/detection of novel Coronavirus (SARS-CoV- 2/COVID-19) infection
PRODUCT INFORMATION	Type of Kit	Real Time Reverse Transcription PCR Kit
	Detection Type (in-vitro)	Qualitative
	Testing Principle	One-step RT-PCR
	Number of viral gene targets on which test is based	2 or more
	Screening Assay	NA
	Confirmatory assay	NA

Specification	Title	Reference Value
	Target genes detection	Multiplex detection in single tube should have at least 2 genes of the following: E/ORF/RdRP/N/S genes of SARS-CoV-2, along with human housekeeping gene or exogenous control as the internal control. Probe for each gene should have separate dye/fluorophore so that the result for each gene can be read individually
	No cross reactivity	Yes
	Species Reactivity	Human
	Test compatible with	Suitable for in-vitro qualitative detection of SARS-CoV-2 nucleic acids in throat (oropharyngeal) swabs, nasopharyngeal swabs, anterior nasal swabs, mid-turbinate nasal swabs, nasal washes, nasal aspirates and broncho alveolar lavage fluid (BALF) from individuals who are suspected of COVID-19
	Result Time	90 - 120 minutes
	Sensitivity	95
	Specificity	99
	All necessary reagents required to perform the test provided in the kit	Yes
	Reagent included in the kit	Primer, Probe, enzymes, internal control, positive control and negative control
	Type of Fluorescent Probe used for the detection	RT-PCR Kit for detecting SARS-CoV-2 should use fluorescent probe based TaqMan chemistry with multiplex reactions in a single tube. Probes should have reporter dyes in the range of spectral separation to have compatibility with common

Specification	Title	Reference Value
		RT-PCR machines available. Probe for each gene should have separate dye/fluorophore so that the result for each gene can be read individually
	Control provided with each pack of kit	Positive control, Negative control, Internal control which validates sample quality
	Compatibility with Real Time PCR System	Open
	Assay robust and compatible with RNA extracted using different viral RNA extraction kits available in the market	Yes
	Storage and transportation of kits by the supplier to the consignee	Under cold chain strictly as per the OEM instructions
	The cumulative time temperature indicator technology shall be used on each kit and prequalified by WHO	Yes
	Document detailing principle, component, methodology, validity criteria, result interpretation, cycle information, gene name, respective dye used, performance characteristic, biosafety, assay limitation, storage condition, mfg & exp date, disposal method provided	Yes
	Original kit inserts in English should be provided with the kit	Yes
PACKAGING	Pack Size of the Kit	100 Tests or Rxn

Specification	Title	Reference Value
CERTIFICATIONS & REPORTS	The kit approved from the statutory authority in its country of origin	Yes
	Imported kits registered and licensed in India by DCGI & Indigenous manufactured kits licensed by the authority defined under Drugs and Cosmetics act 1940 and Medical Devices Rules, 2017 as amended till date	Yes
	Availability of certificate/License from the Drugs Controller General of India (DCGI) for import (in case of imported kits) and marketing of the intended item	Yes
	Availability of valid Drug license for the product issued from the competent authority defined under Drugs & Cosmetics Act, 1940 and Medical Devices Rules, 2017 as amended till date	Yes
	Drug License Number	-
	Availability of Test report of each batch of the product to prove the conformity to the declared specification	In house Test report from the manufacturer, Test Report from NABL Accredited Lab
	Manufacturer facility certifications	ISO:13485 (Latest)
	Product Certifications/Approval	Kit evaluated and validated by ICMR-NIV-Pune or any other designated ICMR validation institute
	Availability of performance evaluation report	Yes

Specification	Title	Reference Value
	Submission of all required certifications, licenses, test reports and any other specific certification requirement as imposed by country of origin to the buyer at the time of bidding in case of bidding/ at the time of supply in case of direct order	Yes
SHELF LIFE	Shelf life from the date of manufacture (in months)	12
	Minimum shelf life of the product at the time of delivery to the consignee	3/4 th of total shelf life
ADVANCE SAMPLE	Agree to provide advance sample of the product for buyer's approval before commencement of supply in case of bidding	Yes

12) Last date and time of receipt of quotations ($Submitted\ through-e-mail$) Only in Online:

- 1. Convert your KSMSCL Quotation document to Password protected PDF file as follows.
 - a. Upload your final Quotation PDF document in the below link https://smallpdf.com/protect-pdf
 - b. Choose file (for uploading documents)
 - c. Type your password and Retype your password.
 - d. Click Encrypt file.
 - e. Download your password protected PDF.
 - f. Send your quotations to <u>ksdlwscovid19.procurement@gmail.com</u> mail id quotations sent on other mail id's will not be considered.
 - g. Share- your password after the due date.
- 13) Online Quotations for the Supply of Real Time PCR Kits for SARS COV-2 (Covid-19) from 16/06/2021" latest by 17.00 hours on 19/06/2021.

Sd/-

Managing Director, KSMSCL, Bengaluru