



GOVERNMENT OF KARNATAKA  
KARNATAKA STATE MEDICAL SUPPLIES CORPORATION LIMITED®

Sheshadri road, Opp S.J.P College, K.R Circle, Bengaluru.

Phone: +91-80-23486221 Fax: +91-80-23281477,

Email: [haha.mdk@kmscl@gmail.com](mailto:haha.mdk@kmscl@gmail.com) and [esee.kmscl@gmail.com](mailto:esee.kmscl@gmail.com)

No. HFW/KSMSCL/EQPT/COVID-19/RTPCR-CONS/73/2021-22

Dated: 15/09/2021

**INVITATION FOR QUOTATIONS (IFQ) FOR SUPPLY OF RT PCR CONSUMABLES FOR COVID-19.**

To,

M/s .....

.....

.....

**Sub:** Invitation of quotation for Supply of RT PCR Consumables for COVID-19.

**Ref:** ಸಕಾರದ ಆದೇಶದ ಸಂಖ್ಯೆ: ಆ.ಕು.ಕ 144 ಎಫ್.ಪಿ.ಆರ್ 2021(II), ಬೆಂಗಳೂರು, ದಿನಾಂಕ:07/09/2021.

- 1) Sealed competitive quotations are invited in two cover system (Technical and Financial Separately) by the undersigned for the following items.

Sl. No	Name of the Consumables	No. of qty	Rates per Unit (Inclusive of taxes)	Stock on Hand
1.	Centrifuge Tube 1.5ml	3896625		
2.	1000ul Micro Filtered Tip	13213425		
3.	200ul Micro Filtered Tip	11465625		
4.	10/20ul Micro Filtered Tip	4796625		
5.	0.1/0.2ul PCR Plates with Optical Sealer	52688		
6.	0.1/0.2ul PCR Strips with Cap (8 Nos)	13031		

**Delivery Schedule**

Sl. No	Days	Quantity

## **Invitation of Quotation for Supply of RT PCR Consumables.**

### **2) Quoted Price:**

- a) The quotation shall be submitted in the name of Managing Director KSMSCL, Sheshadri Road, Opp S.J.P College, K.R Circle, Bengaluru.
- b) All duties, taxes and other levies payable by the tenderer (including GST) shall be included in the item rate.
- c) Rates for supply of partial quantity of an item is not acceptable.
- d) The rates quoted shall be inclusive of supply and transportation of the items to Various Health Institutions across Karnataka.
- e) Corrections if any shall be made by crossing out, initialing, dating and rewriting.
- f) Cable or Facsimile quotations are not acceptable.

3) Each tenderer must submit only one quotation.

### **4) Validity of quotations:**

- a) The quoted rates shall remain valid for a period not less than 30 days from the issue of Notification of Award.

### **5) Evaluation of quotations:**

The Purchaser will evaluate and compare the quotations determined to be substantially responsive i.e., which are properly signed, and confirm to the terms and conditions and specifications in the following manner:

- a) Technical evaluation will be done by a technical committee and financial bids of only those firms/bidders who qualify will be opened.
- b) The evaluation will be done including all taxes. If the tenderer has not included the taxes in his quotation for the item rate, and has also not indicated the rate of taxes applicable, the quoted rate will treated as though it is inclusive of taxes and no extra payment for taxes will be made;

### **6) Contract:**

- a) Payment shall be made after the delivery of the goods and their acceptance.
- b) Notwithstanding the above, the Purchaser reserves the right to accept or reject any quotations and to cancel the quotation process and reject all quotations at any time of prior to issuing supply order.
- c) Bid inviting authority reserves the right to award a part of the bid quantity to L2, L3 if they match L1 price to ensure early supplies or in case L1 fails to supply the goods as per the delivery schedule mandated in this IFQ.

### **7) Supply Period:**

- a) The supply shall commence within 2 days of issue of Purchase order and be completed within 7 days. Else the purchase order remains cancelled.
- b) The bidder should specify the delivery schedule for the entire Quantity.

8) If the supplier fails to supply within the stipulated period her/his order stands cancelled and their SD will be forfeited.

## Invitation of Quotation for Supply of RT PCR Consumables.

### 9) Terms and Conditions:

- a) Contract to be signed on a Stamp Paper with a minimum value of Rs. 200/-.
- b) Submit copies of latest/Previous Purchase Order /Supply Order received from any State/Union Tertiary/Corporation/Government or Private Institutions supplied for the same RT PCR Consumables.
- c) Manufacturing/import license By Concerned Authorities Should be Submitted.
- d) Dealer should submit Authorization letter from Manufacturer/ Importer.
- e) GST Registration of the Firm.
- f) GST Returns, Latest GST Certificates.
- g) Brochures, Certificates and Manuals should be submitted.
- h) Proof of Performance shall be submitted in the form of Supply Order/ Purchase Order & Invoice Copies.
- i) 3% of the order value should be submitted as Security Deposit in the form of Demand Draft.
- j) Bidder should specify the quantity available at their disposal.
- k) Quotation processing fee 1000+18% GST should be submitted by Demand Draft (not refundable) drawn in favor of the Managing Director, Karnataka State Medical Supplies Corporation Limited (KSMSCL) payable at Bengaluru or A/c No-1672104000074740, Bank Name-IDBI Bank, Branch Name-Vijayanagar Branch)
- l) The supply shall be mandatorily accompanied by in-house analytical certificate.
- m) All packing must be tamper proof and should withstand rough handling and weather conditions.
- n) **The bidder should submit the two sets of sample 100 each for validation along with the online quotation on or before 21.09.2021 at 04:00 PM.**
- o) During the supply if products found damaged then the products must be replaced by the successful bidders.
- p) 3 years warranty to the consumables.

### 10) FALL CLAUSES:

- a) The price quoted shall not in any case exceed the maximum wholesale ceiling price (bulk), if any, fixed by the Govt. of India /NPPA/State Government or the Whole Sale price fixed by the bidder for General Market. The Bidder shall mention such fixed rates in the quotation sheet against each item quoted.
- b) The rate quoted for the minor consumables plastic wear for RT PCR Consumables under this Contract, in no event shall be more than the lowest price quoted at which the contractor sells his products of identical description to any other persons, State, Union territory, Corporation, Board, University, Trust, Local authority, Company or any others including his own dealer, distributor, stockiest, agent during the period of the currency of contract.

## **Invitation of Quotation for Supply of RT PCR Consumables.**

- c) If at any time during the period of contract, the contractor reduces the sale price of such products to any other persons, State, Union territory, Corporation, Board, University, Trust, Local authority, Company or any others including his own dealer, distributor, stockist, agent during the period of the currency of rate contract at a price lower than the price quoted in this contract, he shall forthwith notify such reduction or sale to the Managing Director Karnataka State Medical Supplies Corporation Limited (Regd.), Bangalore. The price payable under this contract shall correspondingly be reduced to the same extent as was sold to such others. Under no circumstances the rate quoted shall be higher than the price notified under Drug Price Control Order issued from time to time.
- d) Failure to notify the Purchaser to pass on such benefits due to decrease in existing tax structure (Wherever applicable) Exemption accorded shall entail disqualification of the Contractor and forfeiture of the Security Deposit due if any and the firm will be Blacklisted.
- e) The order stands cancelled after the expiration of delivery period, and if the extension is not granted with or without liquidated damages. Apart from risk/alternate purchase action, the Bidder shall also suffer forfeiture of the Security Deposit and shall invite other penal action like blacklisting/Debaring disqualification from participating in present and future Bids of Bid Inviting Authority/ordering authority.
- f) It shall be the responsibility of the supplier for any shortage/damage at the time of receipt at the designated places.
- g) The Supplier has to replace the entire defective lot (batch) supplied by him found to be not satisfactory certified by BMCRI/NIV labs.
- h) If the kits are found defective and the kits result are found to be inconclusive by end user the entire defective lot should be replaced before the payment.

### **11) TECHNICAL SPECIFICATION:**

#### **1. Centrifuge Tube 1.5ml**

- Graduated micro centrifuge tubes featuring a small, ealizing easy-to-open/ close cap with the assurance of an audible "Click" to know that yours sample is secure. Should have conical bottom.

#### **2. 1000ul micro filtered tip**

- Universal size Compatible with all pipettes.
- Ideal for molecular/microbiology/cell culture/ radioactive applications.
- Hydrophobic polyethylene filters protects samples from.
- Contamination during aerosol transfer free of detectable DNase RNase, DNA, PCR inhibitor free.
- Sterile varile free of pyrogen.
- Protect geometry.

## **Invitation of Quotation for Supply of RT PCR Consumables.**

- Available in low retention MAXIPENSE variety.
- These filtered tips should be supplied in sterile boxes made of slandered plastic and there should be slandered spacing between two tips, so that multi-channel pipette can fit into these tips.

### **3. 200ul micro filtered tip**

- Universal size Compatible with all pipettes.
- Ideal for molecular/ microbiology/cell culture/ radioactive applications.
- Hydrophobic polyethylene filters protects samples from.
- Contamination during aerosol transfer free of detectable DNase RNase, DNA, PCR inhibitor free.
- Sterile varile free of pyrogen.
- Protect geometry.
- Available in low retention MAXIPENSE variety. These filtered tips should be supplied in sterile boxes made of slandered plastic and there should be slandered spacing between two tips, so that multi-channel pipette can fit into these tips.

### **4. 10/20ul Micro Filtered Tip**

- Universal size Compatible with all pipettes.
- Ideal for melocular/ microbiology/cell culture/ radioactive applications.
- Hydrophobic polyethylene filters protects samples from.
- Contamination during aerosol transfer free of detectable DNase RNase, DNA, PCR inhibitor free.
- Sterile varile free of pyrogen.
- Protect geometry.
- Available in low retention MAXIPENSE variety.
- These filtered tips should be supplied in sterile boxes made of slandered plastic and there should be slandered spacing between two tips, so that multi-channel pipette can fit into these tips.
- 10 /20 ul micro filtered tips should be supplied in a 50:50 ratio.

### **5. PCR Plates with optical sealer**

- Applications- Standard and real time PCR and comparable with Biorad CFX-96, Quant studio 3, 5 and 7.
- RNase and DNase free,
- Number of wells-96.
- Material: poly carbonate, poly propylene.
- Well identification such as rows and columns in contrast color.
- The PCR plates should be supplied in the ratio of 80:20 for 0.2 ul: 0.1 ul.

### **6. PCR Strips with cap (8 nos)**

- Strips of tubes consist of eight 0.2ml with attached optical caps that open and close independently to prevent contamination and

## **Invitation of Quotation for Supply of RT PCR Consumables.**

evaporation caps strips are packaged with tube strips for convenience made of thin wall polypropylene and designed for precise fit in heat blocks to optimize heat transfer certified DNase and RNase-free autoclavable at 121°C.

- Each strips should contain 8 wells and should be supplied as 125 strips per packet.

### **12) Last date and time of receipt of quotations (*Submitted through – e-mail*)**

#### **Only in Online:**

1. Convert your KSMSCL Quotation document to Password protected PDF file as follows.
  - a. Upload your final Quotation PDF document in the below link  
<https://smallpdf.com/protect-pdf>
  - b. Choose file (for uploading documents)
  - c. Type your password and Retype your password.
  - d. Click Encrypt file.
  - e. Download your password protected PDF.
  - f. Send your quotations to [ksdlwscovid19.procurement@gmail.com](mailto:ksdlwscovid19.procurement@gmail.com)  
mail id quotations sent on other mail id's will not be considered.
  - g. Share- your password after the due date.

### **13) Online Quotations for the Supply of RT PCR Consumables for COVID-19 from 15/09/2021"latest by 17.00 hours on 21/09/2021.**

  
**Managing Director,  
KSMSCL, Bengaluru**